

3m 堆码试验报告

3m Stacking Test Report

Client 委托方	Shenzhen yoli-energy Technology Co.,LTD 深圳市优锂聚能科技有限公司
Add. of Client 委托方地址	3F, Building B, Honghaoyuan Industrial, Zhangcunxin One District, Huangbeikeng Road, Junzibu Village, Guanlan Street, Longhua New District, Shenzhen City. 深圳市龙华新区观澜街道君子布村黄背坑路张村新一区泓豪源工业区 B 栋 3 楼
Name of Package 包装件名称	Lithium ion Battery YL 702040 3.7V 500mAh 1.85Wh 锂离子电池 YL 702040 3.7V 500mAh 1.85Wh
Testing Laboratory 测试机构	Shenzhen NCT Testing Technology Co., Ltd. 深圳诺测检测技术有限公司 A101, 1/F., &2F., B2, Fuqiao 6th Area, Xintian, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道新田社区富桥六区 B2 一楼 A101, 二楼
Report No. 报告编号	NCT220482011XB1-5
Issued Date 发行日期	2023.01.07
Test Conclusion 测试结论: Shown in the Conclusion of test report. 见检测报告结论页.	

Tested by
主检人

Miller Gao

Miller Gao

Test Engineer
测试工程师

Inspected by
审核人

Hely Wang

Hely Wang

Technical Manager
技术经理

Approved by
批准人

Boris Lin

Boris Lin

Technical Director
技术总监



Shenzhen NCT Testing Technology Co., Ltd.



Name of Package 包装件名称	Lithium ion Battery YL 702040 3.7V 500mAh 1.85Wh 锂离子电池 YL 702040 3.7V 500mAh 1.85Wh		
Manufacturer of package 包装件生产企业	Shenzhen yoli-energy Technology Co.,LTD 深圳市优锂聚能科技有限公司		
Manufacturer of packaging container 包装容器生产企业	Dongguan Yingxin Packaging paper factory 东莞市迎鑫包装纸品厂		
Detailed description of the package 包装件详细说明	Corrugated paper, Size: 295*235*295mm, Carton thickness: 5mm, Packaging auxiliaries: Plastic blister disc 瓦楞纸, 尺寸: 295*235*295mm, 纸箱厚度: 5mm, 衬垫材料: 吸塑盘		
Detailed description of the contents 内装物详细说明	Lithium ion Battery, Model: YL 702040, Basic parameters: 3.7V, 500mAh, 1.85Wh, Quantity: 720PCS 锂离子电池, 型号: YL 702040, 基本参数: 3.7V, 500mAh, 1.85Wh, 数量: 720PCS		
Number of samples 样品数量	3 packages /3 个包装件		
Gross weight per package 每包装件毛重	8.4kg		
Total load 加载的载荷	78kg	Ambient Conditions of sample preparation 样品预处理环境	环境温度: 23°C±2°C 相对湿度: 50%±2%
Test method and criterion 检测方法及判定标准	22 Revised Edition of the United Nations 《Recommendations on the Transport of Dangerous Goods, Model Regulations》 (ST/SG/AC.10/1/Rev.22 6.1.5.6). 联合国《关于危险货物运输的建议书 规章范本》第22版 6.1.5.6。		
Test Item 检测项目	3m Stacking Test 3m 堆码试验		
Test Result 检测结果	After the 24h stacking test, batteries are not damaged, packages are not damaged, no leakage, no deformation. 包装件在经受24h堆码试验后, 电池未见受损、包装未见破损、未见泄漏、未见变形。		
Conclusion 检测结论	After testing, the package has passed the stacking test of 22 Revised Edition of the United Nations 《Recommendations on the Transport of Dangerous Goods, Model Regulations》 (ST/SG/AC.10/1/Rev.22 6.1.5.6). 经检测, 该包装件通过了联合国《关于危险货物运输的建议书 规章范本》第22版 6.1.5.6 的堆码试验。		
Receiving Date 接收日期	2022.12.15	Completing Date 完成日期	2022.12.17

Photos 照片

Inner content 内装物:



Package 包装件:



注意事项

Important Notice

1. The test report is invalid without the official stamp of NCT.
本报告书无 NCT 盖章无效。
2. Nobody is allowed to photocopy or partly photocopy this test report without written permission of NCT.
未经 NCT 书面同意，不得部分地复制本报告书。
3. The test report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.
本报告书无批准人、审核人、及主检人签名无效。
4. The report is invalid when anything of following happens – illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.
私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
5. Objections to the test report must be submitted to NCT within 15 days.
对报告书若有异议，应于收到报告之日起 15 天内向本公司提出。
6. The test report is valid for the tested samples only.
本报告仅对测试样品有效。
7. The Chinese contents in this report are only for reference.
本报告中的中文内容仅供参考。

*****End of Report 报告结束*****